exacerbated by the automobile accident; (2) she has chondromalacia patella, patellofemoral syndrome in her left knee; at the present time certain injections are being tried; however, if this is not successful, she was require surgery of the left

Annexed hereto as Exhibit "A" is a copy of the report of Dr.

she will develop posttraumatic osteoarthritis of her hip.

C. Dr. Heremele has not yet advised us of his fee for deposition

testimony or trial testimony. His fee for preparation of the report was \$500.00.

knee to further investigation and/or debridement; and (3) there is a possibility that

by the automobile accident at issue: (1) the disease at L4-L5 of her spine has been

Hermele. He will testify that Ms. Lundgren has three injuries which were caused

Document 22

Filed 05/09/2008

Page 2 of 4

Dated: White Plains, New York May 9, 2008

B.

Yours, etc.

BAKER LESHKO SALINE & BLOSSER, LLP

Mitchell J. Baker (MB-4339)

One Morth Lexington Avenue

White Plains, New York 10601

Case 7:07-cv-04534-KMK

[REPORT] Exhibit "A"

ξ ocument 22 Document 22

Filed 05/09/2008

S ENTERPRISE DRIVE SUITE 204, SHELTON CT 06484 2909 MAIN STREET, STRATFORD CT 06614 75 KINGS HIGHMAY CUTOFF, FAIRFIELD CT 06824 OKTHOPAEDIC SPECIALTY GROUP, P.C.

D'O'B: 04/30/81

ACCT: 933747

NAME: Lundgren, Jennifer

DOS: 04/59/08 FO

]. Chondromalacia patella, patellofemoral syndrome left laree. DIVEROSES:

2. Degenerative lumbar disc syndrome.

3 Status post dislocation left hip.

SUBJECTIVE: Same. No better, no worse.

OBTECTIVE: Also unchanged.

PLAN: I have gone over in detail all of the issues.

All of this fits the clinical picture. Likewise fits the story of blunt trauma in the motor vehicle accident. The MRI of the knee shows chondromalacia patella and a focus of chondromalacia of the medial femoral condyle.

Options of treatment discussed. She elects injection.

Kenalog. 40 of Kenalog. Post injection protocols. Under usual precautions skin analgesia uneventfully, left knee was injected with dilute solution Marcaine,

 M^{ϵ} will hear from her by phone with response to this.

Other options include an arthroscopic evaluation and debridement.

necrosis. As far as her left hip, the MRI just done shows normal appearing hip, no posttraumatic changes, no avascular

Certainly for the time being no further treatment in this direction. Possibility of developing posttraumatic

osteoarthritis of the hip down the road exists.

lumber spine. This was also known to us. This was compared to the prior study of 2005 and it has progressed. Incidentally noted at the time of the MR of the hip was ongoing degenerative disease at the 4-5 level of the

We have talked to her previously about interventional pain management for this. This was again discussed, she

will give this some thought.

cc: Attomey Mitchell Baker

We will hear from her by phone.

Hermcle/ss

Case 1007-cv-04534-KMK

Page 4 of 4 5056 189 716 XEA